

Bright Futures Previsit Questionnaire 2 to 5 Day (First Week) Visit

For us to provide you and your baby with the best possible health care, we would like to know how things are going.

Please answer all of the questions. Thank you.

What would you like to talk about today?									
Do you have any concerns, questions, or problems that you would like to discuss today?									
We are interested in answering yo	We are interested in answering your questions. Please check off the boxes for the topics you would like to discuss the most today.								
How You Are Feeling	☐ Your health ☐ Feeling sad ☐ Family stress ☐ Unwanted advice ☐ Starting a daily routine								
Getting Used to Your Baby	How you are doing with your baby Calming your baby Crib safety Where your baby sleeps How your baby sleeps Placing baby on back to sleep								
Feeding Your Baby	Gaining weight How your baby shows if he/she is hungry or full Drinking enough Jaundice (skin is yellow) Burping Breastfeeding Formula								
Safety	Car safety seat Cigarette smoke Water heater temperature								
Baby Care	When to call the doctor's office ☐ Taking your baby's temperature ☐ Not getting sick ☐ Hand washing ☐ Emergency situations ☐ Leaving the house ☐ Skin care ☐ Sunburns								
	Questions About Your Baby								
Have any of your baby's relatives dev	eloped new medical problems since your last visit? If yes, please describe:								
Vision Do you have cor	icerns about how your child sees?								
Does your child have any special health care needs? No Yes, describe:									
Other than your baby's birth, have there been any major changes in your family lately? Move Job change Separation Divorce Death in the family Any other changes? Describe:									
Over the past 2 weeks, how often have you been bothered by any of the following problems? 1. Little interest or pleasure in doing things									
Does your child live with anyone v	who uses tobacco or spend time in any place where people smoke? No Yes								
Da von hans anasitis assessment	Your Growing and Developing Baby								
Do you have specific concerns about how your baby is growing, learning, or acting?									
Check off each of the tasks that you Eats well Turns and calms	☐ Follows your face								



American Academy of Pediatrics



The recommendations in this publication do not indicate an exclusive course of freatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of *Bright Futures Tool and Resource KI.* Copyright © 2010 American Academy of Pediatrics. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such changes.

ACCOMPANIED BY/IN	FORMANT	PREFERRED LAN	NGUAGE	DATE/TI	ME	Name		
DRUG ALLERGIES			CURRENT MEDICAT	IONS		ID NUMBER		
WEIGHT (%)	LENGTH	l (%)	WEIGHT FOR LE	NGTH (%)	HEAD CIRC (%)	TEMPERATURE	BIRTH DATE	AGE M F
See growth chart. History		_				Physical Exam	ination	
H		t Coombs None Ilirubin Pos □ Neg □ Unk / / other side)	☑=NL Additional Sys Bright Futures Priority Additional Sys ☐ HEAD/FONTANELLE ☐ GENERAL AF ☐ EYES (red reflex/strabismus/appears to see) ☐ EARS/APPEAF ☐ HEART ☐ NOSE ☐ FEMORAL PULSES ☐ MOUTH AND ☐ ABDOMEN (umbilical cord, vessels) ☐ LUNGS ☐ SKIN (rashes, jaundice) ☐ GENITALIA ☐ NEUROLOGIC (tone, symmetry, state regulation) ☐ Male/Testes ☐ MUSCULOSKELETAL (torticollis) ☐ Female					
Follow-up on				Addres	sed (see other side)			
	special healt amily H ory Questic ation	th care needs istory onnaire.	☐ Previsit		onnaire reviewed	Assessment ☐ Well child		
Reaction of sib	olings to nev	v child				Anticipatory (
Review of Systems See Initial History Questionnaire and Problem List. Changes since last visit					□ Discussed and/or handout given □ NEWBORN TRANSITION □ NUTRITIONAL ADEQUACY □ SAFETY • Back to sleep • Breastfeeding (vitamin D supplement) • Daily routines • Iron-fortified formula (if not breastfed) • Calming techniques • No solid foods • NeWBORN CARE • No honey • No shaking • Emergency preparedness plan □ PARENTAL WELL-BEING • Burns			
P	ours betwe roblems wit Formula	en feeding <u> </u> h breastfeedir	Fee ng Ounc	dings pe es per fe	eeding r 24 hours eeding	,	Sleep when baby sleeps Unwanted advice cine Administration Record.	,
Elimination:						, ,	esults	
Sleep:								
Behavior:						Follow-up/Next vis	sit	
Developme SOCIAL-EMO* • Eats well COGNITIVE • Follows your	TIONAL 🗆	COMMUNICAT	_	□ PHY: • Ca	SICAL DEVELOPMENT in suck, swallow, and eathe easily	See other side Print Nam PROVIDER I	e	Signature
Ameri	can Ac	cademy	of Pedia	ntrics		PROVIDER 2		

DEDICATED TO THE HEALTH OF ALL CHILDREN"

This American Academy of Pediatrics Visit Documentation Form is consistent with Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents, 3rd Edition.

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright © 2010 American Academy of Pediatrics. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher.

HE047I 9-208/I208

PARENTAL WELL-BEING

NUTRITIONAL ADEQUACY

Bright Futures Parent Handout 2 to 5 Day (First Week) Visit

Here are some suggestions from Bright Futures experts that may be of value to your family.

How You Are Feeling

- Call us for help if you feel sad, blue, or overwhelmed for more than a few days.
- Try to sleep or rest when your baby sleeps.
- Take help from family and friends.
- Give your other children small, safe ways to help you with the baby.
- Spend special time alone with each child.
- · Keep up family routines.
- If you are offered advice that you do not want or do not agree with, smile, say thanks, and change the subject.

Feeding Your Baby

- Feed only breast milk or iron-fortified formula, no water, in the first 6 months.
- Feed when your baby is hungry.
 - · Puts hand to mouth
 - Sucks or roots
 - Fussing
- End feeding when you see your baby is full.
 - Turns away
 - Closes mouth
 - Relaxes hands

If Breastfeeding

- Breastfeed 8-12 times per day.
- Make sure your baby has 6–8 wet diapers a day.
- Avoid foods you are allergic to.
- Wait until your baby is 4–6 weeks old before using a pacifier.
- A breastfeeding specialist can give you information and support on how to position your baby to make you more comfortable.
- WIC has nursing supplies for mothers who breastfeed.

If Formula Feeding

 Offer your baby 2 oz every 2–3 hours, more if still hungry. Hold your baby so you can look at each other while feeding

- Do not prop the bottle.
- · Give your baby a pacifier when sleeping.

Baby Care

- Use a rectal thermometer, not an ear thermometer.
- Check for fever, which is a rectal temperature of 100.4°F/38.0°C or higher.
- In babies 3 months and younger, fevers are serious. Call us if your baby has a temperature of 100.4°F/38.0°C or higher.
- Take a first aid and infant CPR class.
- Have a list of phone numbers for emergencies.
- Have everyone who touches the baby wash their hands first.
- Wash your hands often.
- Avoid crowds.
- Keep your baby out of the sun; use sunscreen only if there is no shade.
- Know that babies get many rashes from 4–8 weeks of age. Call us if you are worried.

Getting Used to Your Baby

- · Comfort your baby.
 - Gently touch baby's head.
 - Rocking baby.
- Start routines for bathing, feeding, sleeping, and playing daily.
- · Help wake your baby for feedings by
 - Patting
 - · Changing diaper
 - Undressing
- Put your baby to sleep on his or her back.
 - In a crib, in your room, not in your bed.
 - In a crib that meets current safety standards, with no drop-side rail and

slats no more than 23/8 inches apart. Find more information on the Consumer Product Safety Commission Web site at www.cpsc.gov.

- If your crib has a drop-side rail, keep it up and locked at all times. Contact the crib company to see if there is a device to keep the drop-side rail from falling down.
- Keep soft objects and loose bedding such as comforters, pillows, bumper pads, and toys out of the crib.

Safety

NEWBORN TRANSITION

- The car safety seat should be rear-facing in the back seat in all vehicles.
- Your baby should never be in a seat with a passenger air bag.
- · Keep your car and home smoke free.
- Keep your baby safe from hot water and hot drinks.
- Do not drink hot liquids while holding your baby.
- Make sure your water heater is set at lower than 120°F.
- Test your baby's bathwater with your wrist.
- Always wear a seat belt and never drink and drive.

What to Expect at Your Baby's 1 Month Visit

We will talk about

- Any concerns you have about your baby
- Feeding your baby and watching him or her grow
- How your baby is doing with your whole family
- Your health and recovery
- Your plans to go back to school or work
- Caring for and protecting your baby
- · Safety at home and in the car



American Academy of Pediatrics



The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Voriations, taking into account individual circumstances, may be appropriate. Original document included as part of Bright Futures Tool and Resource Kit. Copyright © 2010 American Academy of Pediatrics, Updated 10/11. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such chances.