

Bright Futures Previsit Questionnaire 9 Month Visit

For us to provide you and your baby with the best possible health care, we would like to know how things are going.

Please answer all of the questions. Thank you.

		What would you like to talk about today?							
Do you have an	y concerns, question	ns, or problems that you would like to discuss today?							
We are interest	ed in answering you	r questions. Please check off the boxes for the topics you would like to discuss the		•					
Your Baby and Family		Having time alone for yourself Having time alone with your partner Feeling safe in your home Your family's ideas about how your baby should act Your baby's behavior							
Your Changing and Developing Baby		How your baby is learning Games and toys that help your baby learn Your baby's nighttime routine Waking up at night Crying with new people							
Feeding Your Baby		Baby feeding himself Adding solid and table food Increasing the thickness of foods Using a cup Continuing breastfeeding and formula-feeding Your baby's weight							
Safety		Keeping your home safe with an active baby							
		Questions About Your Baby							
Have any of you	ur baby's relatives d	eveloped new medical problems since your last visit? If yes, please describe:	Yes	No	Unsure				
Hearing		eerns about how your child hears?	Yes	□ No	Unsure				
		erns about how your child sees? res appear unusual or seem to cross, drift, or be lazy?	Yes Yes	No No	Unsure Unsure				
Vision		relids droop or does one eyelid tend to close?	☐ Yes	I No	Unsure				
		eyes ever been injured?	Yes	No	Unsure				
		blem for you or anyone else in your family?	Yes	No	Unsure				
Oral Health		leep with a bottle?	Yes	No	Unsure				
		ontinuously breastfeed through the night?	Yes	□ No	Unsure				
		ave a sibling or playmate who has or had lead poisoning?	Yes	No	Unsure				
Lead	Does your child liv	we in or regularly visit a house or child care facility built before 1978 that is being een (within the past 6 months) renovated or remodeled?	Yes	No	Unsure				
	Does your child liv	ve in or regularly visit a house or child care facility built before 1950?	Yes	No	Unsure				
Does your child	I have any special he	ealth care needs? No Yes, describe:							
Have there bee	n any major changes	s in your family lately? Move Job change Separation Divorce Dea	th in the far	nily A r	ny other changes?				
Does your child	l live with anyone wl	ho uses tobacco or spend time in any place where people smoke? LNo Ye	:S						

Your Growing and Developing Baby									
Do you have specific concerns about your baby's learning, development, or behavior?	No	Yes, describe:							
		_							
Check off each of the tasks that your baby is able to do.									
Looks for something that has been dropped									
Pulls to stand									
Is afraid of new people									
Goes to you to play and be comforted									
Points things out									
Sits well									
Can repeat sounds									
Looks at books									
Crawls									
Plays peekaboo									



American Academy of Pediatrics



The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of Bright Futures Tool and Resource Kit. Copyright © 2010 American Academy of Pediatrics. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such changes.

ACCOMPANIED BY/INFORMANT	PREFERRED L	ANGUAGE	DATE/TII	ME	Name			
DRUG ALLERGIES		CURRENT MEDICATI	 ONS		ID NUMBER			
WEIGHT (%) LENGT	TH (%)	WEIGHT FOR LEI	NGTH (%)	HEAD CIRC (%)	TEMPERATURE	BIRTH DATE	AG	GE M
See growth chart.	_				Dhysical Even	oin oti on		ا"لــا
History					Physical Exan	nination		
☐ Previsit Questionnaire reviewed ☐ Child has special health care needs Concerns and questions ☐ None ☐ Addressed (see other side)								
Follow-up on previous concerns \square None \square Addressed (see other side)			☐ HEART TO HEAR ☐ BACK ☐ FEMORAL PULSES ☐ NOSE ☐ SKIN ☐ MUSCULOSKELETAL (torticollis) ☐ MOUTH AND ☐ EXTREM ☐ HIPS ☐ THROAT ☐ NEUROLOGIC (tone, strength, symmetry of movements, parachute reflex) ☐ LUNGS ☐ ABDOMEN					
Interval history \(\subseteq \noting \text{No.}	one \square A	ddressed (see o	other si	de)	Abnormal findings and	comments		
☐ Medication Record rev	riewed and up	odated						
Social/Family H	·							
See Initial History Questi	•	☐ No inte	rval cha	inge				
Family situation				U -				
Parents working outside I	home:	\square Mother	☐ Fatl	her	Assessment			
Child care: ☐ Yes ☐ N	lo Туре				☐ Well child			
Changes since last visit								
Review of Syste	ems				Anticipatory	Guidance		
	ems				Anticipatory			
Review of Syste	ems onnaire and F	Problem List.				ndout given	NG ROUTINE feeding	□ SAFETY • Car safety sea
Review of Syste See Initial History Question No interval change Changes since last visit Nutrition:	onnaire and F k een feeding _	Problem List. Minute Feec Ounce	es per fo dings pe es per fo ins/Fluo	eeding or 24 hours eeding	☐ Discussed and/or ha ☐ FAMILY ADAPTATIONS	ndout given FEEDI Self- ine Solici Safe Usir E Bree iron Iron No		
Review of Syste See Initial History Questi No interval change Changes since last visit Nutrition:	onnaire and F k een feeding _	Problem List. Minute Feec Ounce	es per fo dings pe es per fo ins/Fluor	eeding or 24 hours eeding	☐ Discussed and/or ha ☐ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner ☐ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing	ndout given FEEDI Self- ine Solici Safe Usir E Bree iron Iron No	feeding I foods foods g a cup gs a cup susfeeding (vitamin D, supplement) -fortified formula bottle in bed	Car safety seatPoisonsWater/DrownFalls/WindowBurns
Review of Syste See Initial History Questi No interval change Changes since last visit Nutrition: Breast mil Hours betwee Formula Source of wa Elimination: NL Sleep: NL	onnaire and F k een feeding _	Problem List. Minute Feec Ounce Vitami	es per fo dings pe es per fo ins/Fluor	eeding er 24 hours eeding ride	☐ Discussed and/or ha ☐ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner ☐ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing	ndout given FEEDI Self-	feeding I foods foods go a cup sstfeeding (vitamin D, supplement) -fortified formula bottle in bed th teeth	Car safety seatPoisonsWater/DrownFalls/WindowBurns
Review of Syste See Initial History Questi No interval change Changes since last visit Nutrition: Breast mil Hours betwee Formula Source of wat Elimination: NL Sleep: NL	onnaire and F k een feeding _	Problem List. Minute Feec Ounce	es per fo dings pe es per fo ins/Fluor	eeding er 24 hours eeding ride	□ Discussed and/or ha □ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner □ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing • No TV	indout given FEEDI Self- Self- Solic Safe Usir E FE FE FO	feeding I foods foods go a cup suffeeding (vitamin D, supplement) -fortified formula bottle in bed th teeth	Car safety sear Poisons Water/Drown Falls/Window Burns Guns
Review of Syste See Initial History Questi No interval change Changes since last visit Nutrition: Breast mil Hours betwee Formula Source of wa Elimination: NL Sleep: NL	onnaire and F k een feeding _	Problem List. Minute Feec Ounce Vitami	es per fo dings pe es per fo ins/Fluo	eeding er 24 hours eeding ride	□ Discussed and/or ha □ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner □ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing • No TV Plan Immunizations (See Van Laboratory/Screening reference)	indout given Self- Self	feeding I foods foods g a cup sstfeeding (vitamin D, supplement) -fortified formula bottle in bed th teeth	Car safety sear Poisons Water/Drown Falls/Window Burns Guns
Review of Syste See Initial History Questi No interval change Changes since last visit Nutrition: Breast mil Hours betwee Formula Source of wat Elimination: NL Sleep: NL Behavior: NL	onnaire and F k een feeding _	Problem List. Minute Feec Ounce Vitami	es per fo dings pe es per fo ins/Fluo	eeding er 24 hours eeding ride	□ Discussed and/or ha □ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner □ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing • No TV Plan Immunizations (See Van	indout given Self- Self	feeding I foods foods g a cup sstfeeding (vitamin D, supplement) -fortified formula bottle in bed th teeth	Car safety sear Poisons Water/Drown Falls/Window Burns Guns
Review of Syste See Initial History Question No interval change Changes since last visit Nutrition:	onnaire and F k een feeding _ ater D: □ NL mental scre	Problem List. Minute Feec Ounce Vitami	es per fo dings pe es per fo ins/Fluor	eeding er 24 hours eeding ride	□ Discussed and/or ha □ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner □ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing • No TV Plan Immunizations (See Van Laboratory/Screening reference)	indout given Self- ine Solid Safe Usir Breat iron I ron No Brus Cccine Administra	feeding I foods foods gods gods gods streeding (vitamin D, supplement) -fortified formula bottle in bed th teeth	Car safety sear Poisons Water/Drown Falls/Window Burns Guns
Review of System See Initial History Question No interval change Changes since last visit	coms connaire and F k deen feeding constants constants mental scree reillance (if	Problem List. Minute Feec Ounce Vitami	es per fodings pees per foins/Fluoring	eeding eeding ride it Questionnaire) SOCIAL-EMOTIONAL	□ Discussed and/or ha □ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner □ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing • No TV Plan Immunizations (See Var Laboratory/Screening re	indout given Self- ine Solid Safe Usir Breat iron I ron No Brus Cccine Administra	feeding I foods foods gods gods gods streeding (vitamin D, supplement) -fortified formula bottle in bed th teeth	Car safety sear Poisons Water/Drown Falls/Window Burns Guns
Review of System See Initial History Question No interval change Changes since last visit	k een feeding in NL mental scre /eillance (if CO	Problem List. Minute Feec Ounce Vitami	es per fo dings pe es per fo ins/Fluo Tool n Previsi	eedingeedingr 24 hourseedingride	□ Discussed and/or ha □ FAMILY ADAPTATIONS • Limit word "no" • Age-appropriate discipli • Domestic violence • Time for self/partner □ INFANT INDEPENDENC • Consistent routines • Separation anxiety • Learning and developing • No TV Plan Immunizations (See Vac Laboratory/Screening r	indout given Self- Self	feeding I foods foods ga a cup stfeeding (vitamin D, supplement) -fortified formula bottle in bed th teeth	Car safety sear Poisons Water/Drown Falls/Window Burns Guns

This American Academy of Pediatrics Visit Documentation Form is consistent with Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents, 3rd Edition.

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright © 2010 American Academy of Pediatrics. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher.

HE0487 9-59/Rev1208

FAMILY ADAPTATIONS

EDING ROUTINE

Bright Futures Parent Handout 9 Month Visit

Here are some suggestions from Bright Futures experts that may be of value to your family.

Your Baby and Family

- Tell your baby in a nice way what to do ("Time to eat"), rather than what not to do.
- Be consistent.
- At this age, sometimes you can change what your baby is doing by offering something else like a favorite toy.
- Do things the way you want your baby to do them—you are your baby's role model.
- Make your home and yard safe so that you do not have to say "No!" often.
- Use "No!" only when your baby is going to get hurt or hurt others.
- Take time for yourself and with your partner.
- Keep in touch with friends and family.
- Invite friends over or join a parent group.
- If you feel alone, we can help with resources.
- Use only mature, trustworthy babysitters.
- If you feel unsafe in your home or have been hurt by someone, let us know; we can help.

Feeding Your Baby

- Be patient with your baby as he learns to eat without help.
- Being messy is normal.
- Give 3 meals and 2-3 snacks each day.
- Vary the thickness and lumpiness of your baby's food.
- Start giving more table foods.
- Give only healthful foods.
- Do not give your baby soft drinks, tea, coffee, and flavored drinks.
- Avoid forcing the baby to eat.
- Babies may say no to a food 10–12 times before they will try it.
- Help your baby to use a cup.

 Continue to breastfeed or bottle-feed until 1 year; do not change to cow's milk.

 No foods need to be withheld except for raw honey and chunks that could cause choking.

Your Changing and Developing Baby

- Keep daily routines for your baby.
- Make the hour before bedtime loving and calm.
- Check on, but do not pick up, the baby if she wakes at night.
- Watch over your baby as she explores inside and outside the home.
- Crying when you leave is normal; stay calm.
- Give the baby balls, toys that roll, blocks, and containers to play with.
- Avoid the use of TV, videos, and computers.
- Show and tell your baby in simple words what you want her to do.
- Avoid scaring or velling at your baby.
- Help your baby when she needs it.
- Talk, sing, and read daily.

Safety

- Use a rear-facing car safety seat in the back seat in all vehicles.
- Have your child's car safety seat rear-facing until your baby is 2 years of age or until she reaches the highest weight or height allowed by the car safety seat's manufacturer.
- Never put your baby in the front seat of a vehicle with a passenger air bag.
- Always wear your own seat belt and do not drive after using alcohol or drugs.
- Empty buckets, pools, and tubs right after you use them.

- Place gates on stairs; do not use a baby walker.
- Do not leave heavy or hot things on tablecloths that your baby could pull over.
- Put barriers around space heaters, and keep electrical cords out of your baby's reach.
- Never leave your baby alone in or near water, even in a bath seat or ring. Be within arm's reach at all times.
- Keep poisons, medications, and cleaning supplies locked up and out of your baby's sight and reach.
- Call Poison Help (1-800-222-1222) if you are worried your child has eaten something harmful.
- Install openable window guards on secondstory and higher windows and keep furniture away from windows.
- Never have a gun in the home. If you must have a gun, store it unloaded and locked with the ammunition locked separately from the gun.
- Keep your baby in a high chair or playpen when in the kitchen.

What to Expect at Your Child's 12 Month Visit

We will talk about

- Setting rules and limits for your child
- Creating a calming bedtime routine
- · Feeding your child
- · Supervising your child
- · Caring for your child's teeth

Poison Help: 1-800-222-1222

Child safety seat inspection: 1-866-SEATCHECK; seatcheck.org



American Academy of Pediatrics



The recommendations in this publication do not indicate an exclusive course of freatment or serve as o standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of *Bright Futures Tool and Resource Kit.* Copyright © 2010 American Academy of Pediatrics. Updated 05/2017. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such changes.